


www.leathercraftpattern.com

Thin the shadow area before glue

a


www.leathercraftpattern.com



www.leathercraftpattern.com

b

c



Green stitching line
sewn with A12's
green stitching line


Thin the shadow area before glue

d

a

A13 Orienting line

www.leathercraftpattern.com




b

c

www.leathercraftpattern.com

ACC-119 Main body x1
A01

Note: 2.5mm (6.25oz) leather is advised.



700mm No.5 zipper



12mm or 15mm
Foot nail

12mm or 15mm
Foot nail

www.leathercraftpattern.com

d

A13 Orienting line

Green stitching line
sewn with A12's
green stitching line

730mm No.8 or
No.5 zipper

(6)


www.leathercraftpattern.com


ACC-119 Right gusset x1
A02

Note: 2.5mm (6.25oz) leather is advised.

A14 end point


Joint line e







ACC-119 Right gusset pocket x1
A04


Note: 2.0mm (5oz) leather is advised.









www.leetcodecraftpattern.com











ACC-119 Handle x1
A08


Note: 2.5mm (6.25oz) leather is advised.

Joint line t

Joint line t

ACC-119 Handle wrapper x1
A09

Note: 2.5mm (6.25oz) leather is advised.




Technical drawing of a book cover showing the spine and front cover. The drawing includes dashed lines for stitching and a joint line. A note specifies: Note: 2.0mm (5oz) leather is advised.


ACC-119 Main body joint holder x2
A13

Joint line I

Note: 2.0mm (5oz) leather is advised.

Joint line I





ACC-119 Shoulder belt A x1
A10

Note: 2.5mm (6oz) leather is advised.

