
LEATHER BRACERS



Assembly instructions

Difficulty level:	Advanced
Completion Time	10-12 hours

©copyright www.dieselpunk.ro

NECESSARY TOOLS

©copyright www.dieselpunk.ro

B&W Printer




Scissors or a cutter



Hole Puncher



5 square feet of leather



Thread and needles



4 Buckles and a few rivets


©copyright www.dieselpunk.ro

©copyright www.dieselpunk.ro

PRINTING THE PATTERN

Set up your printer to A4 paper with no margins on landscape mode.

Alternatively you can use "letter" format which is approximately the same size and will not impact the size of the product



©copyright www.dieselpunk.ro

Step 1: print your patterns. Cut out all the parts and paste them as shown in the picture below.



Use these templates to cut the leather and make the stitching holes. As always with any of my patterns EVERY STITCHING HOLE is precisely placed and necessary. The more accurate you mark them and make them the better the stitching will be

In order to help with your build, we filmed the entire process from the start to finish.
Please access your instructional video here:

<https://youtu.be/dZ5xin1IJXg>

To further help all our clients we created this FaceBook group for everyone to share ideas and stay up to date with the latest patterns available. Please follow the link below to join.

<https://www.facebook.com/groups/1434028716724087/>

Best Regards
Tony



©copyright www.dieselpunk.ro