



Dopp Kit

Instruction

MATERIAL REQUIREMENT:

- YKK Zipper No#5, Zipper length aprox. 32 cm ($12^{9/16}$ inch)
- Zipper Head and zipper pull
- Zip Stopper
- Flexible thin leather lining (i.e., pig skin) is optional

****Please note:** we recommend purchasing zipper by yard or meter then trim it to size

See the YouTube link for the making of this bag: <http://bit.ly/2yPz8dP>

*****NOTE:** this is an instruction file only. Please refer to the file named "Pattern_.....pdf" to print the pattern pieces

1.



Optional lining:

- Cut the lining piece a bit larger than the pattern
- Glue the lining to the main body then trim off the excess leather



Dopp Kit Instruction

2.



YKK Zipper No#5





Trim the zipper to the width of the main body (32 cm)

3.



Use sharp tip plier to cut the zipper teeth




Cut the zipper teeth on both ends to about 1 cm




Dopp Kit Instruction

4.



Install the zip stopper to both ends

5.




Stitch the zipper to the body



Dopp Kit Instruction

6.



Stitch the other top side of the main body to the zipper

7.



Stitch the main body sides together



Dopp Kit Instruction

8.



Flip the wrong side out



9.



Glue the grip/ holder to the main body



Slide the grip/ holder to the position in the right side of the main body





Dopp Kit
Instruction

10.



Glue and stitch all sides together



Stitch at 0.7 cm from the edge



Trim the edges close to stitch line then
edge finish

11.



Flip the right side out to finish

