

Crossbody Bag

Size M



This document can't be given, sold, lent, shared or distributed in any way either physically or electronically for any purpose without the permission of Oak Leathercraft

COPYRIGHT©OAKLEATHERCRAFT2021

Sale: You can sell any given amount of goods that you make from these patterns, although you may not use Oak Leathercraft as credit it the item you make.

Social Media: In order to make these patterns I have a spent a lot of time, so I would be really thankful if you could add a link to my patterns or my shop in description of goods that you have produced: www.oakleathercraft.com

To make this project we need:

Printer

Thickness of leather for this project is approx. 2-2.5mm /5-6 oz.

Tools and hardware:

Cutter , hole punch 1.5mm, thread and 2 needles, 13 Eyelets (approx. 10mm), 2 snaps -15mm
1 Buckle 25mm/1" , 2 swivel snap hooks 25mm/1" , 2 D-rings 20mm/3/4" and 14 rivets.

TEST PAGE

PRINT IN ACTUAL SIZE

Printer: **Brother DCP-J4120DW Printer (Kopia 1)** Properties Advanced [Help ?](#)

Copies: ☐ Print in grayscale (black and white) ☐ Save ink/toner ⓘ

Pages to Print
☒ All ☐ Current ☐ Pages
► More Options

Page Sizing & Handling ⓘ

☐ Fit ☒ Actual size ☐ Shrink oversized pages ☐ Custom Scale: %
☐ Choose paper source by PDF page size
☐ Print on both sides of paper
Orientation:
☒ Auto ☐ Portrait ☐ Landscape

Comments & Forms

Page Setup...

Document: 8,3 x 11,7in
8,27 x 11,69 Inches

Crossbody Bag Size M




This document can't be given, sold, lent, shared, or distributed in any way either physically or electronically for any purpose without the permission of Oak Leathercraft.

COPYRIGHT©OAKLEATHERCRAFT2021

Safe: You can sell any given amount of goods that you make from these patterns, although you may not use OakLeathercraft as credit to do them you make.



Small Media: In order to make these patterns I have spent a lot of time, so I would be really thankful if you could add a link to my patterns or my shop in description of goods that you have produced. www.oakleathercraft.com

To make this pattern you need:
Printer
Thickness of leather for this project is approx. 2-2.5mm / 5-6 oz.
Tools and hardware:
Cutner - hole punch 15mm, thread and 2 needles, 3 needles (approx. 10mm), 2 awgaps - 15mm
1 Buckle 25mm/1", 2 metal snap hooks 25mm/1", 2 D-rings 20mm/3/4" and 14 mmets.
2 awgaps - 15mm


<  >

Page 1 of 1

Check size of printing




TEST PAGE




A1

LEATHERCRAFT










A3

OAK
LEATHERCRAFT










B


LEATHERCRAFT




OAK

LEATHERCRAFT









OAK

LEATHERCRAFT




D1



OAK

LEATHERCRAFT

OPTIONAL: PERSONALIZATION




E1

LEATHERCRAFT




OPTIONAL: PERSONALIZA







E2


TION

















F1



F2







OAK

LEATHERCRAFT

