



Backpack

250mm X 300mm

Plus Instructions



Easy to follow
PDF A4 patterns

Introduction & overview

MPRLeatherworks is situated in the small town of De Rust in the Klein-Karoo region of South Africa.

I love leatherwork, and blissfully create patterns for my leatherwork clients from all over the world including Denmark, Germany, Australia, United Kingdom, United States of America, Hungary, Italy, Romania, Namibia, Mexico, Australia, Egypt, Hawaii, Finland, Israel, China and Russia but to name a few.

You have certainly made my day and thank you for choosing MPRLeatherworks!

I love what I do!

The Backpack size - 300 mm (h) x 250 mm (w) x 100 mm (d)


The backpack was made with vegetable tanned top grain leather +-2.4mm (5-6oz) thickness.

See diagram 1 below to get an overview look of the pattern parts required for this build.

This backpack can be carried with the handle or the shoulder strap or on the back.

It would make an awesome Christmas or birthday gift , or maybe just to spoil yourself.

Diagram 1 : Project Parts overview



Parts position Instructions:


Start your project by first preparing all of the parts as per the Parts overview

Pages 1 and 2 as per above.

Once you are ready to assemble, take a careful look at the pictures 1 to 7 below to understand where each part fits.



It is not a difficult project, it just takes a bit of time to assemble, but well worth it in the end.

Good luck.




PIC 1:


PIC2:




PIC3:




PIC4:



PIC5:



PIC6:



PIC7:

The tools required for this build are:

- a) Printer to print Black & White PDF files onto A4 sized paper
- b) Stanley knife with sharp new blades
- c) Waxed thread 1mm and 2 (two) matching harness needles (it does not require sharp points)
- d) Leather hole punch 1.5mm & 4mm.
- e) Oblong punch - 5mm x 25mm
- f) Vegetable tanned leather with thickness of +-2.4mm (5-6oz) was used (Strongly recommended).
- g) Leather glue for logo, before you stitch.
- h) Buckles – 2 X 20mm & 2 X 25mm
- i) D-rings – 6 X 25mm
- j) Screw rivets – 2 X 8mm (L) with 9mm head size.
- k) Tubular rivets – 8 X 9mm (L) with 11mm head size
- l) Tubular rivets – 4 x 9mm (L) with 9mm head size (Used for parts M1 & M2).
- m) Trigger hooks – 6 X 15mm (w) length 65mm
- n) Patience, passion and a love for working with leather, of which I am sure you have more than enough!

Tips:

- 1) Take your time and prepare all the parts for this project before you start the assembly process.
- 2) Now carefully look at the pictures above to see where every part must go. It is actually very easy to build, and I cannot wait to see what your project looks like.

Printing the pattern:

Check out the – **Printer Setting Page**. The (yellow coloured circles) indicates which boxes must be checked to ensure that the correct printing size is selected, before you print the – **Test Page - . (This is very important)**

Once the – **Test Page** – is printed, measure both the vertical and horizontal sides with a ruler to ensure it is correct, before you print the actual pattern pages.

COPYRIGHT

© Copyright www.mprleatherworks.co.za agreement,

Please take note that this pattern (design) is strictly owned by www.mprleatherworks.co.za

YOU MAY – When you purchase this design, make and sell the physical product for personal use and or commercial gain.

YOU MAY NOT – In any way or form, part or full, sell, send, donate or give away the patterns (designs). This pattern is and remains the property of www.mprleatherworks.co.za.

IN GOOD FAITH - It will be greatly appreciated when you “**repurchase**” this pattern once now and then, should you sell a fair quantity of handmade items made from these patterns.

I rely 100% on your discretion in this regard, and will be humbled to receive any repurchases.

By clicking the “Buy” or “Purchase” button on www.mprleatherworks.co.za OR by purchasing the pattern (design) from the owner of www.mprleatherworks.co.za in any way or form, you agree to this copyrights agreement and held liable for ©Copyright breach.

Signed www.mprleatherworks.co.za

Good luck and enjoy this project, it’s over to you!

Don’t forget to post a picture on my ETSY shop so we can see what your version of this project looks like.

MPRLeatherworks.co.za

Printer Settings Page

Print

Brother DCP-J105 Properties

brother DCP-J105 Brother SolutionsCenter

Basic Advanced Print Profiles Maintenance

Media Type: Plain Paper
☐ Slow Drying Paper

Print Quality: Normal

Paper Size: A4 (8.3 x 11.7 in)
☐ Borderless

Color Mode: ☐ Natural ☒ Vivid

Orientation: ☒ Portrait ☐ Landscape

Copies: 1
☐ Collate
☐ Reverse Order

Multiple Page: Normal
Page Order: Right, then Down
Border Line: None
2-sided / Booklet: None

2-sided Settings(X)...

Default

OK Cancel Help

Plain Paper
Print Quality : Normal
A4
8.3 x 11.7 in
Borderless : Off
Color Mode : Vivid
Copies : 1
Multiple Page : Normal
2-sided / Booklet : None

Color
Scaling : Fit to Paper Size
a A4
Fit to
A4

Mirror Print : Off
Reverse Print : Off
Watermark : Off

☐ Print Preview

Add Profile(J)...

Launch Status Monitor...

Support...

Print

Printer: Brother DCP-J105 Properties Advanced Help

Copies: 1 ☐ Print in grayscale (black and white) ☐ Save ink/toner

Pages to Print: ☒ All ☐ Current page ☐ Pages: 1 More Options

Page Sizing & Handling: ☐ Fit ☒ Actual size ☐ Shrink oversized pages ☐ Custom Scale: 100 % ☐ Choose paper source by PDF page size ☐ Print on both sides of paper

Orientation: ☐ Auto portrait/landscape ☒ Portrait ☐ Landscape

Page Setup...

Comments & Forms: Document and Markups Summarize Comments

Document: 8.3 x 11.7 in
8.27 x 11.69 Inches

TEST PAGE

MPR LEATHERWORKS

Follow these steps:

1. Select A4 on your printer as paper size
2. Print this test page BEFORE you print the rest of the project.
3. Use the ruler to ensure that both the vertical and horizontal sides of the rectangle matches the measurements as indicated (250mm Length & 150mm width).
4. You are ready to go. Congratulations!

www.mprleatherworks.co.za

Page 1 of 1

Print Cancel

TEST PAGE

150mm





250mm

Follow these steps:


1. Select A4 on your printer as paper size.
2. Print this test page BEFORE you print the rest of the project.
3. Use the ruler to ensure that both the vertical and horizontal sides of the rectangle matches the measurements as indicated (250mm Length & 150mm width).
4. You are ready to go. Congratulations!




C1






A2




A3



A1





C2



© COPYRIGHTS

P1

www.mprleatherworks.co.za



B






N2

N3

© COPYRIGHTS

P2

www.mprleatherworks.co.za





D2



© COPYRIGHTS



D3



© COPYRIGHTS






E



© COPYRIGHTS

www.mprleatherworks.co.za











F1

F2

© COPYRIGHTS


www.mprleatherworks.co.za




The G4 parts are the end pieces for the shoulder strap. Choose your own length and add between these parts.

© COPYRIGHTS


www.mprleatherworks.co.za



H3



H1





H2

© COPYRIGHTS


www.mprleatherworks.co.za



H4




O1



O1 is used with G4
being part of the
shoulder strap.

© COPYRIGHTS

www.mprleatherworks.co.za




H5




K2



K1








K3






Parts K1, K2
& K3 is the
handle for
backpack.

© COPYRIGHTS

www.mprleatherworks.co.za




© COPYRIGHTS






M1




L4



L5

M2



© COPYRIGHTS



N1

© COPYRIGHTS

www.mprleatherworks.co.za



G6

G6












G7

G7












© COPYRIGHTS

www.mprleatherworks.co.za

Parts Overview 1 of 2



Parts Overview 2 of 2



© L5 COPYRIGHTS



Leather Barrel Bag



Easy to follow
PDF A4 patterns

Introduction & overview

MPRLeatherworks is situated in the small town of De Rust in the Klein-Karoo region of South Africa.

I love leatherwork, and blissfully create patterns for my leatherwork clients from all over the world including Denmark, Germany, Australia, United Kingdom, United States of America, Hungary, Italy, Romania, Namibia, Mexico, Australia, Egypt, Hawaii, Finland, Israel, China and Russia but to name a few.

You have certainly made my day and thank you for choosing MPRLeatherworks!

I love what I do!

The Barrel Bag size - 250 mm (l) x 170 mm (w) x 160 mm (h)


The Barrel bag was made with vegetable tanned top grain leather +-2.4mm (5-6oz) thickness.

See diagram 1 below to get an overview look of the pattern parts required for this build.

This Barrel Bag can be carried with the handle or the shoulder strap.

It would make an awesome Christmas or birthday gift, or maybe just to spoil yourself.

Diagram 1 : Project Parts overview



Parts summary:

Start your project by first preparing all of the parts as per the Parts summary page 7.

Once you are ready to assemble, take a careful look at the pictures below to understand where each part fits.

It is not a difficult project it just takes a bit of time to assemble, but well worth it in the end.

Good luck.











The tools required for this build are:

- a) Printer to print Black & White PDF files onto A4 sized paper
- b) Stanley knife with sharp new blades
- c) Waxed thread 1mm and 2 (two) matching harness needles (it does not require sharp points)
- d) Leather hole punch 1.5mm & 4mm.
- e) Oblong punch - 25mm x 5mm & 18mm X 4mm
- f) Vegetable tanned leather with thickness of +-2.4mm (5-6oz) was used (Strongly recommended).
- g) Leather glue for logo, before you stitch.
- h) Buckles – 2 X 20mm
- i) D-rings – 2 X 30mm or if you prefer 2 X 25mm
- j) Tubular rivets – 6 x (9mm (L) with 9mm head)
- k) Trigger hooks – 2 X 15mm (w) length 65mm
- l) Patience, passion and a love for working with leather, of which I am sure you have more than enough!

Tips:

- 1) Take your time and prepare all the parts for this project before you start the assembly process.
- 2) Now carefully look at the pictures above to see where every part must go. It is actually very easy to build, and I cannot wait to see what your project looks like.

Printing the pattern:

Check out the – **Printer Setting Page**. The (yellow coloured circles) indicates which boxes must be checked to ensure that the correct printing size is selected, before you print the – **Test Page** - . **(This is very important)**

Once the – **Test Page** – is printed, measure both the vertical and horizontal sides with a ruler to ensure it is correct, before you print the actual pattern pages.

COPYRIGHT

© Copyright www.mprleatherworks.co.za agreement,

Please take note that this pattern (design) is strictly owned by www.mprleatherworks.co.za

YOU MAY – *When you purchase this design, make and sell the physical product for personal use and or commercial gain.*

YOU MAY NOT – *In any way or form, part or full, sell, send, donate or give away the patterns (designs). This pattern is and remains the property of www.mprleatherworks.co.za.*

IN GOOD FAITH - *It will be greatly appreciated when you “repurchase” this pattern once now and then, should you sell a fair quantity of handmade items made from these patterns.*

I rely 100% on your discretion in this regard, and will be humbled to receive any repurchases.

By clicking the “Buy” or “Purchase” button on www.mprleatherworks.co.za OR by purchasing the pattern (design) from the owner of www.mprleatherworks.co.za in any way or form, you agree to this copyrights agreement and held liable for ©Copyright breach.

Signed www.mprleatherworks.co.za

Good luck and enjoy this project, it's over to you!

Don't forget to post a picture on my ETSY shop so we can see what your version of this project looks like.

MPRLeatherworks.co.za

Printer Settings Page

Print

Brother DCP-J105 Properties

brother DCP-J105 Brother SolutionsCenter

Basic Advanced Print Profiles Maintenance

Media Type: Plain Paper
☐ Slow Drying Paper

Print Quality: Normal

Paper Size: A4 (8.3 x 11.7 in)
☐ Borderless

Color Mode: ☐ Natural ☒ Vivid

Orientation: ☒ Portrait ☐ Landscape

Copies: 1
☐ Collate
☐ Reverse Order

Multiple Page: Normal
Page Order: Right, then Down
Border Line: None
2-sided / Booklet: None

2-sided Settings(X)...

Default

OK Cancel Help

Plain Paper
Print Quality : Normal
A4
8.3 x 11.7 in
Borderless : Off
Color Mode : Vivid
Copies : 1
Multiple Page : Normal
2-sided / Booklet : None

Color
Scaling : Fit to Paper Size
A4
Fit to
A4

Mirror Print : Off
Reverse Print : Off
Watermark : Off

☐ Print Preview

Add Profile(J)...

Launch Status Monitor...

Support...

Print

Printer: Brother DCP-J105 Properties Advanced Help ?

Copies: 1 ☐ Print in grayscale (black and white)
☐ Save ink/toner

Pages to Print
☒ All
☐ Current page
☐ Pages: 1
More Options

Page Sizing & Handling
Size Poster Multiple Booklet

☐ Fit
☒ Actual size
☐ Shrink oversized pages
☐ Custom Scale: 100 %
☐ Choose paper source by PDF page size

☐ Print on both sides of paper

Orientation:
☐ Auto portrait/landscape
☒ Portrait
☐ Landscape

Page Setup...

Comments & Forms
Document and Markups
Summarize Comments

Document: 8.3 x 11.7 in
8.27 x 11.69 Inches

TEST PAGE

MPR LEATHERWORKS

Follow these steps:

1. Select A4 on your printer as paper size
2. Print this test page BEFORE you print the rest of the project.
3. Use the ruler to ensure that both the vertical and horizontal sides of the rectangle matches the measurements as indicated (250mm Length & 150mm width).
4. You are ready to go. Congratulations!

www.mprleatherworks.co.za

Page 1 of 1

Print Cancel

TEST PAGE



150mm



250mm


Follow these steps:

1. Select A4 on your printer as paper size.
2. Print this test page BEFORE you print the rest of the project.
3. Use the ruler to ensure that both the vertical and horizontal sides of the rectangle matches the measurements as indicated (250mm Length & 150mm width).
4. You are ready to go. Congratulations!




Hole 3

Assemble the sides, Parts A, to the body of the bag (Parts C1, C2 & C3 when combined) by starting the first stitch at hole 11 (Part A as indicated) and hole 3 of part C1 (page 1) as indicated on both sides.



C1



Hole 3

Assemble the sides, Parts A, to the body of the bag (Parts C1, C2 & C3 when combined) by starting the first stitch at hole 11 (Part A as indicated) and hole 3 of part C1 (page 1) as indicated on both sides.

© COPYRIGHTS



C2



© COPYRIGHTS



C3

D1:




© COPYRIGHTS

P3

www.mprleatherworks.co.za



D2




© COPYRIGHTS

www.mprleatherworks.co.za



A



Hole 11

Assemble the sides, Parts A, to the body of the bag (Parts C1, C2 & C3 when combined) by starting the first stitch at hole 11(Part A as indicated) and hole 3 of part C1 (page 1) as indicated on both sides.



Print page X2




Total length of belt tip to tip - 62.5cm

B3

© COPYRIGHTS

www.mprleatherworks.co.za



Parts F1 & F2 are the ends of the shoulder strap.
Make the length between these parts to fit.

© COPYRIGHTS




Handle parts




© COPYRIGHTS

www.mprleatherworks.co.za



Parts summary



Parts F1 & F2 are the ends of the shoulder strap.
Make the length between these parts to fit.



Total length of ball tip to tip - 62.5cm



Total length of ball tip to tip - 62.5cm

