

NO.30 INSTRUCTION



www.leatherdiypattern.com



1

2

1. Apply glue on the back of piece 1
2. Fold two ends of piece 2 with 1" rectangular rings







**Punch stitching holes
I use 4mm interval**





Complete stitches

Complete stitches





Complete stitches





Punch holes



Complete stitches



Prepare leather pieces



**Punch stitching holes
I use 4mm interval**

5

6


6

5

Complete stitches



Complete stitches



Complete stitches






**Repeat the steps with
the other side of gusset**

**Mark the inner pocket (7) stitching line on the Mainbody (8)
And punch stitching holes**

7

8





Complete stitches





Complete stitches
Front View

Complete stitches
Back View




Prepare a buckle (0.75" inner dimension) and two straps (Please see strap guidance sheet)

9-1

9-2




**Apply gule or double
sided tape on the tips**



The image shows several long, narrow strips of black leather or faux leather laid out on a dark grey cutting mat with a white grid pattern. Each strip has a series of small, evenly spaced holes punched along its length. The strips are arranged in a slightly overlapping, diagonal fashion. The lighting is bright, casting soft shadows. In the bottom left corner, there is white text that reads "Punch stitching holes" and "I use 4mm interval".

Punch stitching holes
I use 4mm interval





**Punch stitching holes
I use 4mm interval**

Complete stitches





**Punch oval hole for the
buckle**





- **Complete stitches**
- **Punch set of holes for the other strap section. (See the strap guidance sheet)**






**Mark the location of the
magnetic snap on piece 8**

**Punch the hole
20mm D**



The image shows two brass-colored metal components on a black background with a white grid. The component on the left is a circular base with a central hole, partially covered by a clear plastic protective cap. The component on the right is a circular plate with two rectangular slots and a central hole. In the bottom left corner, there is white text that reads "Prepare 18mm D magnetic snap".


**Prepare 18mm D
magnetic snap**







**Punch stitching holes
I use 4mm interval**










Trim the excessive portion





Punch stitching holes
I use 4mm interval



**Using awl to poke
through all layers**



Complete the stitches

Back view




A black leather strap is shown diagonally across the frame. A silver-colored metal buckle is attached to the right end of the strap. The strap has a small, dark, oval-shaped hole near the buckle. The background is a dark surface with a light blue grid pattern. A person's finger is visible at the top left corner, holding the strap.

11

**Prepare piece 11
and a 1" buckle**










Punch holes



60°

Set the rivets








Punch stitching holes





Complete stitches



A black leather belt with a gold-colored buckle and punch stitching holes, laid on a dark surface. The belt is positioned diagonally from the top right towards the bottom left. The buckle is a simple, rectangular, gold-colored metal piece. The leather is a dark, matte black. Along the inner edge of the belt, there are small, evenly spaced holes. The background is a dark, textured surface, possibly a workbench or a table.

**Punch stitching holes
I use 4mm interval**

Complete stitches





**Punch stitching holes
I use 4mm interval**

**Sew the gusset piece
to the mainbody**





**Sew the gusset piece
to the mainbody**

**Sew the gusset piece
to the mainbody**



**Sew the gusset piece
to the mainbody**



**Complete stitches on
both sides**



**Strap goes all the way
to the front**




**Mark the stitching lines
(To prevent sliding, please apply
small amount of glue on the back
of the strap.)**





**Punch stitching holes
I use 4mm interval**

Complete stitches



**Testing the best location to set
the holes for the closure**



Set Holes



**Install the magnetic
snap**

13






**Punch stitching holes
I use 4mm interval**


**Sew to the inner side of
the flap**





**Punch openings for the
handle**

Punch holes



A black leather strap with two metal buckles is shown. Below the strap, five brass-colored screws or rivets are arranged in a row. The background is a dark, textured surface.

**Prepare screws or riv-
ets**



Set the rivets



Complete!



Complete!

www.leatherdiypattern.com