



# JOYCE BAGS

# INTRODUCTION

- PDF pattern and the link to an instructional video for making the Joyce bags.
- STL files for the pocket 3D printed molds
- Here is a video tutorial about how to work with molds:  
[https://www.youtube.com/watch?v=\\_pZggaO1NgQ](https://www.youtube.com/watch?v=_pZggaO1NgQ)
- If you need our assistance, please contact us on Facebook Group.
- Sign up on our WEBSITE ([vasileandpavel.com](http://vasileandpavel.com)) for **Friday \$2 patterns :)** Enjoy!




# INSTRUCTIONAL VIDEO

CLICK HERE FOR THE [VIDEO TUTORIAL](#)



# PRINTING INSTRUCTIONS

- Print the pattern on A4, legal or letter size paper, setting the printer on Actual size (100%).
- Check the calibration page to make sure the measurements are correct.
- CLICK HERE for the **VIDEO TUTORIAL**



# SIZE

TALL: 5.5" (14 cm)

WIDE: 7.9" (20 cm)

DEEP: 2.8" (7 cm)



# MATERIALS

- BODY: 6 oz (2.4 mm) leather or thinner leather lined to achieve 6 oz thickness
- STRAPS: 9 oz (3.6) leather
- 1 mm waxed thread
- edge dye
- glue



# MATERIALS

- BODY: 6-6.5 oz (2.3-2.6 mm) vegetable tanned leather
- STRAPS: 9-11 oz (3.6-4.4 mm) leather
- 1 mm waxed thread
- edge dye
- glue



## STL FILE

The STL archive contains STL files for the standard father mold and for mother mold. The leather needs to be between 6–6.5 oz (2.3–2.6 mm).

Please watch the video tutorial for another bag with molded pockets [HERE](#)

If you need assistance, please contact us.



# HARDWARE

- 1 x 1.14" (29 mm) buckle
- 1 magnetic closure
- 1 x 3/4" (20 mm) buckle
- 2 x 1" (25 mm) D rings



# TOOLS

- cutter
- needles
- 1/16" (1.5 mm) hole punch
- cutting mat
- mallet
- molds (for the molded pocket)

