

The Clipper Wallet

by DS Leather Goods

Thank you for your purchase and enjoy crafting

The Clipper Wallet, Deyan

The Small Print

- > If you are a 1-person small leather crafting business you can sell as many products as you want that you made using this pattern, otherwise please consider the pattern for personal use only.
- > Selling or distributing this pattern via any means for commercial or non-commercial purposes and creating cut dies (clicker dies) using the pattern is forbidden.
- > Non-handmade production of **The Clipper Wallet** via any means is not allowed.
- > If you have any questions regarding the pattern or the build, feel free to reach out to me via www.instagram.com/dsleathergoods
- > If you post **The Clipper Wallet** you have created on social media, please always credit my Instagram account and/or my Etsy shop

The Clipper

Dimensions: 18/10.5cm (~7/4.1 inches)

Capacity: 6 card slots (including 2 hidden behind the coin pocket), two cash/receipts compartments and a coin pocket

The Build

Skill level: Advanced

Leather:

- > 1.0-1.2mm thickness (2-2.5 oz) for the interior
- > 1.4-1.8mm thickness (3-4oz) for the exterior

Pattern specific tools/materials:

2 snap buttons of your choice.

Basic Instructions

- > Print pattern at 100% and verify size using the Print Accuracy Test. **Measure and cut on the outside edge of the lines.**
- > Follow the instructions as written on the pattern pages.

Note: Stitching holes in the patterns are 4mm from the edge (unless stated mentioned otherwise in the pattern instructions) and spaced at 3.85mm, however illustrative in nature. You can use other spacing based on your pricking irons/stitching chisels.


Happy crafting,
Deyan




DS Leather Goods






www.instagram.com/dsleathergoods



www.etsy.com/shop/dsleathergoods





Print Accuracy Test










Exterior x1

Print Accuracy Test



Assembly Instructions

Note:

Slots B, C and D have additional trim allowance marked with grey lines. Cut the leather pieces along those lines and later on we will trim the excess after the slots are installed. Please review the full instructions and referenced pictures before commencing the build.

The Card Slots

1. Start by finishing the Slots edges and the Slots Back open edge as noted on the pattern. You can also skive down the green stitch line edges of Slots A, B & C to reduce some of the bulk depending on how thick leather you are using.
2. Pre-punch the red and green stitch lines on all Slots as marked on the pattern. Note that those are 3mm from the edge. Do not pre-punch the blue stitch lines - those are there for guidance only. Refer to Pic1.jpg how that looks like.
3. Take Slot B and glue only its red stitch line on top of Slot A's blue stitch line so their right edges are aligned. Since Slot B has additional trim allowance, it will be wider than Slot A on the left side. Using the pre-punched red stitch line on Slot B, punch all the way through Slot A and stitch. Refer to Pic2.jpg how that should look like.
4. Repeat step 3. with Slot C over Slot B and Slot D over Slot C. Refer to Pic3.jpg and Pic4.jpg how that looks like. Pic5.jpg and Pic6.jpg will show you how your Slots should look like from behind and from the side at this point.
5. Now we will get the Slots attached to the Slots Back piece. Put some glue on the flesh side of Slot A only behind the black and green stitch lines and glue Slot A to the top left edge of the Slots Back. Flesh side of Slot A should be facing the grain side of leather of the Slots Back. Refer to Pic7.jpg how that looks like. Slots B, C & D should not be glued at this time.
6. Using the green pre-punched stitch line of Slot A, punch all the way through the Slots Back and stitch. Refer to Pic8.jpg how that looks like. Slots B, C & D will be the way so bend them away to reach that stitch line.
7. Repeat step 6. for Slot B and Slot C stitching their green stitch lines to the Slots Back. Refer to Pic9.jpg and Pic10.jpg
8. Now with all the Slots stitched to the Slots Back, glue Slots B, C & D outer edges (along their black stitch line) to the Slots Back.
9. All the excess leather of Slots B, C & D will be sticking out over the Slots Back edge at this point. Refer to Pic11.jpg. Trim that excess by cutting along the Slots Back edge while the flesh side of the leather is facing you.
10. Now mark and pre-punch the black stitch line on the Slots Back but do not stitch it. This one is 4mm from the edge. We now have the Card Slots part of the interior completed. Refer to Pic12.jpg on what you should be seeing at this point. Leave it aside for a bit while we jump to the Coin Pocket side of the wallet interior... but first maybe grab a drink, you deserved it. :)

The Coin Pocket Closure

11. Start by finishing the Closure Flap open edge. Then install the top part of the two snap buttons as instructed on the pattern. Top part (cap) of the snap buttons should be on the flesh side of the leather of the Closure Flap.
12. Glue the Closure Flap along its stitch line edge to the Closure Body using the grey line placement guide on the Closure Body pattern. Flesh side of leather on both should be facing. Punch the Flap stitch line and stitch it.
13. Finish the edge of the Closure Body between the two red marks in the direction of the arrows, including the edge you just stitched in the previous step. You can skive down the edges between the red marks in direction **opposite** of the arrows to reduce some of the bulk.
14. Pre-punch the three parallel black stitch lines at the bottom of the Closure Body from the flesh side of the leather. **Important:** The two stitch lines on both sides are 5mm from the Closure Body edges.

The Coin Pocket Back

15. Finish the Coin Pocket Back open edge. Pre-punch only the middle of the three black parallel stitch lines.
16. Stitch the Coin Pocket Closure to the Coin Pocket Back, using that middle stitch line we pre-punched in step 15, so the grain side of the leather of the Closure is facing the grain side of the leather of the Coin Pocket Back. Note that there is an additional stitch hole on the Coin Pocket Back so you can overlap the edge of Closure Back with the thread. Once the middle stitch line is stitched, using the pre-punched side parallel stitch lines on the Closure Body, punch all the way through the Coin Pocket Back and stitch them. Refer to Pic13.jpg on what you should end up with.

The Coin Pocket Front

17. Finish the Coin Pocket Front open edge. Install the bottom parts of the two snap buttons as noted on the pattern. You can skive down the two grey rectangle areas as noted on the pattern to make the fold easier.
18. To assemble the Coin Pocket we will gradually glue the Coin Pocket Front over the Coin Pocket Back and Closure piece we completed in steps 15-16. It can be a bit tricky as it involves some folding of the Coin Pocket Front piece. I prefer to pre-fold the Front to prep it for glueing. Refer to the dashed grey and orange fold lines on the pattern and see Pic14.jpg on how that looks like.
20. Once you have prepared the folds, glue just one of the short sides of the Front to the Coin Pocket Back noted on the pattern between the two red marks. - flesh side of the Coin Pocket Front leather to grain side of the Coin Pocket Back leather (see Pic15.jpg). Then glue the middle part of the Front along the Back edge so the fold we prepped in the previous step stays in place Pic16.jpg. Finally, glue the other corner of the Front to the Back - Pic17.jpg
21. Mark the outer edge stitch line and pre-punch it. You should be seeing something like Pic18.jpg at this point. Almost done. :)

Final Assembly

22. Turn the Exterior so the flesh side of the leather is facing you. Glue The Card Slots piece to the left side along the outer stitch line edge. Glue the Coin Pocket on the right side along the outer stitch line edge.
23. Using the pre-punched stitch holes on both The Coin Pocket and The Card Slots pieces, punch the stitching holes all the way through the Exterior. Stitch the two stitch lines, finish the whole outer edge of the wallet and done. :)