



TEST PAGE

Make sure everything is the right scale and you can see the black border around this page on all sides.

The designs, instructions and patterns are only intended for personal use by sewing hobbyists. All industrial use is prohibited. The materials, including the photographs, drawings, instructions, articles and patterns, are protected by copyright laws and the right of reproducing them by any means or in any form is exclusively reserved for the copyright holder. The copying of the material onto a device that can be used for duplicating it is also regarded as reproduction. Copyright © Marina Karlova. All rights reserved.

You can sell the items you create using this pattern but I would kindly ask you to buy the pattern again for every 10 items you sell, this is a way for me to get my royalties.



NOTICE FOR RUSSIAN SPEAKING CRAFTERS

Мы с вами коллеги, поэтому давайте уважать друг друга.

Пожалуйста, не нужно заниматься пиратством. Выкройки стоят не так уж дорого, и благодаря их продажам мы, дизайнеры, можем кушать, оплачивать счета и продолжать создавать для вас новые дизайны. Если эта выкройка попала к вам откуда-то еще, кроме как из моего магазина, пожалуйста, свяжитесь со мной и поделитесь информацией о том, где и как она распространяется.



Signature

Karlova



Materials:

I recommend using a 3 to 4 oz leather (veg or chrome). With thicker leather the backpack would come out too heavy.

Waxed thread around 0.8mm thick, that's more of your own choice, that is what I use.

Hardware:

1 x 1" snap hook (I use trigger snap)

2 x 1" buckles

2 x 3/4" buckles

8 x 3/8" grommets (size may vary slightly but you have to adjust the holes)

2 x 1" D-rings

Rivets

Tools:

Scissors, knife (paper knife or rotary cutter would also work).

Stitching irons: my pattern is made for 5mm stitching irons (5 stitches per inch). If you are willing to use any other size please make sure that the hole count is the same where it has to be the same: pocket front and pocket gusset, the vertical seams, the bottom and both front and back panels.

Needles - according to your thread size, a pair of saddle needles.

Mallet, grommet setter, rivet setter, hole puncher.

Instructions:

Print the pattern at actual size (100%). Use the reference on top of each page to make sure everything is printed correctly. Join the pages together, you will find further instructions on the pattern itself.



Any questions or comments, e-mail me: lissius@gmail.com.

Join our Karlova Leatherwork Patterns Group on Facebook!
www.facebook.com/groups/karlovadesign






A-1





B-1

1. Attach the inner pocket.
2. Attach the strap reinforcement.
3. Make 4 holes, attach the top handle and the
4. The main strap buckle straps are attached w
They are sewn in between them.




0cm 1cm 2cm 3cm 4cm 5cm

A-2



1in 2in 3in

POCKET GUSSET X2





A-3




BACKPACK BODY / FRONT PANEL

The main body is sewn inside out (turned), but you can use the over

The pockets' front is sewn together with pocket gussets in the over

The pockets' flaps are sewn on upside down so you will hide the ot



Seam line, side view

0cm 1cm 2cm 3cm 4cm 5cm



1in 2in 3in

BACK PANEL



D-ring straps, they share the top pair of rivets.

When the back panel is sewn together with the front panel.



0cm 1cm 2cm 3cm 4cm 5cm B-3


0 0.5 1 1.5 2 2.5 3in



MAIN BUCKLE STRAP X2



A-4



POCKET CLOSURE STRAP X2

MAIN SHOULDER STRAP X2




lapping stitching style if you want.

lapping manner, pocket front being on top. See pictures for reference.

her end of the pocket closure strap in that seam (see illustration below).












BOTTOM



STRAP REINFORCEMENT




POCKET FRONT X2



0cm 1cm 2cm 3cm 4cm 5cm

1in 2in 3in

C-4



INNER POCKET



A-5





0cm 1cm 2cm 3cm 4cm 5cm





B-5

1in 2in 3in





C-5



The little strap for the snap hook. In other words, when you sew it in, on the inside. Don't forget to insert the snap hook.





You may need to adjust the length of the strap depending on the snap hook you are using. They vary in size.

This is the reason I recommend you to make sure everything is well.

NATURAL EDGE CAN BE USED HERE




A-6




TOP X2

BOTTOM X2



0cm 1cm 2cm 3cm 4cm 5cm

STRAP PAD
B-6



1in 2in 3in

STRAP PAD E





C-6



hook is passed through the oblong hole in the flap. In other the seam line both ends of the strap are under the flap layer. hook.

length of the snap hook strap depending on the size of the may vary but you still should be able to close the backpack.

and this to be done on the last stage of the projects so you working and has the right length.

MAIN FLAP

