




Canto Cardholder




These instructions are provided by "T. C. Hall Leather" with the attached PDF template. See product page for YouTube tutorial link.

Visit <https://tchleather.com/> for FAQ and more products!


Materials needed:


- .6 ft² vegetable tanned leather (2.5-3.5oz or 1-1.4mm thick)
- 2 sewing needles (we use John James #004)
- Thread: 4.5-5x length of stitch lines (we use Vinymo #5 .6mm)
- A ruler or straight edge
- Thread snips/scissors
- X-Acto or leather knife
- Cutting mat
- Scratch awl (anything small and pointed will work here)
- Wing divider (recommended)
- Edge beveller (recommended)
- Pricking irons or stitching chisels (we use Rocky Mountain 3.85mm slanted)
- Poly maul or hammer (NOT METAL)
- Lighter or Thread ZAP
- Glue (we use Seiwa leather glue)
- Burnishing agent (we use Seiwa Tokonole, but beeswax works)
- Creasing tool (optional)
- Sandpaper (recommended; we use between 150-800 grit)
- Radius tool, corner punch, or coin (anything rounded!)
- Edge slicker (recommended)
- Canvas cloth (optional)
- Glue spreader (or brush)



This pattern is designed for A4 paper but should work on most printers with the "actual size" option. Use the squares above to measure for accuracy.


Canto Cardholder Final Product






This pattern is designed for A4 paper but should work on most printers with the "actual size" option. Use the squares above to measure for accuracy.

Canto Cardholder Pieces 1/2





This pattern is designed for A4 paper but should work on most printers with the "actual size" option. Use the squares above to measure for accuracy.

Canto Cardholder Pieces 2/2

