



CREATIVE AWL

leather patterns

ASSEMBLY INSTRUCTIONS

BIKER BAG

PREPARED BY:

Patryk Ku, Creative Awl

LET'S GO:

PRINT THE PATTERN

01

- Open your pattern in Adobe Acrobat Reader. Set up options of your printer on A4 paper with 0 margins.
- Every page has a measure - check does it fit.
- Every printed page MUST HAVE a border around! If doesn't - move paper left/ right and print again

02

FOLLOW VIDEO INSTRUCTIONS

Video tutorial: <https://youtu.be/IfMjm6YqyIA>

Cutting patterns:

https://www.youtube.com/watch?v=2TNUI_Tlk64

Shoulder Strap:

<https://youtu.be/e5R2IKexImg>

03

GIVE A SMILE TO OTHER PEOPLE!

Give a ready product to you family or freind. Give them a smile :)))

04

CHECK OUR AWESOME FB GROUP

Go there to share your work. The best works ill share on my social. Also get more DIY&ideas. We will support you & answer all questions.

<https://www.facebook.com/groups/CreativeAwlPatterns>

YOU NEED

TOOLS

Tools you need:

- sharp knife
- 1,2-1,5mm hole puncher or pricking irons or awl
- hammer
- 2 needles
- paper tape
- a home printer

MATERIALS

- about 0,4 square meter of leather (preferable 2,5mm / 6oz)
- Waxed thread (preferable 0,8-1 mm)
- Few rivets
- 2 x 20mm d-rings
- 25 mm buckle



GOOD LUCK

If you got ANY problem,- don't be shy to ask directly on Etsy or

<https://www.facebook.com/groups/CreativeAwlPatterns>