


Test Page



Make sure you choose A4 and "actual size"
in the printing preferences before you start printing.

When you print check if square sizes match

Best wishes and good luck with pattern

Cutting line —————

Stitching line ○ ○ ○ ○ ○ ○ ○ ○ ○ ○

Cutting peaces
and tape together - - ✂ - - -



Recommendations

1.0 mm single hole punch and 0.8 mm thread


Note: Stitching holes perfectly match to 1.0 mm hole puncher

Copyright Lexy 2021

19 cm

Front Body

F1



F1


Front



Copyright Lexy 2021


Front Body

F1




Copyright Lexy 2021

Little strap for Cover



Eyelets - 1 cm hole diameter
Measure your eyelets before punching the holes



Front Pocket

13x30 mm tuck clasp lock
Cut the lines carefully, measure your locker first.
it may have different sizes.


Attach tuck clasp locker to the pocket
before stitching it to the front body

D ring holders



Copyright Lexy 2021

Eyelets - 1 cm hole diameter
Measure your eyelets before punching the holes



Mark this hole.
here you must
start stitching GUSSET



C1



Back


C1

Tape all 3 pieces together **C1**

Copyright Lexy 2021

Eyelets - 1 cm hole diameter
Measure your eyelets before punching the holes

C1



C1

Mark this hole.
here you must
start stitching GUSSET




Body

Copyright Lexy 2021

Tape all 3 pieces together C1

C1



C1



Tape all 3 pieces together C1

Eyelets - 1 cm hole diameter
Measure your eyelets before punching the holes

Copyright Lexy 2021

Gusset

Gusset

Gusset


B1

A1

B1

Copyright Lexy 2021

Inside Pocket



For Shoulder strap Swivel snap hooks

Cut 3 cm wide shoulder strap
to your desire length.
Stitch shoulder strap endings
to H1 and H2.

**Dont forget to place
Swivel snap hooks
before stitching.**

