

LEATHER BACKPACK



Flores
Patterns

Dimensions:

Size: 300 x 400 x 120 mm / 11.8 x 15.7 x 4.7 inch

Materials:

- 02 Adjuster Slide Buckle: inner 30mm/ 1.18 inch (Position G4a)
- 02 Arch Bridge Hook Buckle: inner 21mm/ 0.82 inch (Position G8, G8a)
- 04 Rivet Caps: 8mm/ 0.31 inch (Position G3a, G3, G4)
- 02 D-ring: inner 21mm/ 0.82 inch (Position G6c)
- 02 Swivel hooks: inner 30mm/ 1.18 inch (Position G4a)
- 02 Zipper: 280 mm/ 11.02 inch (Position Zipper 1, Zipper 3)
- 02 Zipper: 950 mm/ 37.4 inch (Position Zipper 2, Zipper 4)
- The inner lining fabric has the same size as the pattern
- Use leather with a thickness of 2 - 2.5mm / 0.079 - 0.098 inch

Notes:

- Print the pattern in A1 or A4 size at 100% scale
- If using A4, Letter size, combine the pieces into a pattern like A1 size
- Look at the image for more details on the positions
- Sew G2 - G2a - G2, sew Zipper 3
- Sew G4a, G4b to G4, attach Adjuster Slide Buckle and Swivel hooks
- Sew G3 - G4 - G3a - G2, attach Rivet Caps
- Sew G8a - G8 - G7a - G7, attach Arch Bridge Hook Buckle
- Sew G6 - G6a - G7
- Sew G1a - G1b - G1c - G1, sew Zipper 1, Zipper 2
- Sew G1a - G5 bottom - G2
- Sew G6c - G6b, attach D-ring
- Sew G6 - G6b - G2
- Sew G7 - G7a - G2 - G3
- Sew G6a - G1a - G1b
- Sew G6 - G5
- Sew Zipper 4
- Sew G8

Note that the inner lining for the zipper compartment will be made of fabric depending on the usage needs.



20mm

1 inch

Instructions:

Preparation Notes:

Step 1: Print the Pattern

Print at A1 or A4 size at 100% scale to ensure accurate measurements.

Step 2: Prepare the Pattern Pieces

If using A4 or Letter size, piece together the pattern to match an A1 layout. Ensure all parts align properly before cutting.

Step 3: Cut and Label Pieces

Cut all pieces carefully along the pattern lines. Use a scratch awl or pen to label each piece for easier identification during assembly.

Step 4: Check the Image for Reference

Refer to the image to understand the positioning of components like the zippers, straps, rivets, and hardware before beginning assembly.

Assembly Instructions:

Step 1: Assemble the Front Panel

Sew G2 to G2a and G2, ensuring alignment. Install Zipper 3, securing both ends properly.

Step 2: Attach the Back Panel and Strap Hardware

Sew G4a and G4b to G4, ensuring straight seams. Attach the Adjuster Slide Buckle and Swivel Hooks, reinforcing with extra stitching.

Step 3: Reinforce the Bag Body

Sew G3 to G4 and G3a to G2, then attach Rivet Caps for added durability.

Step 4: Attach the Top Handle and Buckle

Sew G8a to G8, G7a to G7, and attach the Arch Bridge Hook Buckle for strap adjustability.

Flores
Patterns

Step 5: Assemble the Side and Bottom Panels

Sew G6 to G6a and then attach G7. Sew G1a, G1b, and G1c to G1, ensuring they are properly aligned. Install Zipper 1 and Zipper 2 to the main compartment.

Step 6: Attach the Base

Sew G1a to G5, ensuring an even seam. Attach G5 to the bottom of G2 for structure.

Step 7: Attach the D-ring and Side Components

Sew G6c to G6b, then attach the D-ring securely. Ensure all attachment points are reinforced with extra stitching.

Step 8: Finalize the Bag Assembly

Sew G6 to G6b and G2 to complete the shape. Attach G7 to G7a and G2 to G3, securing all seams.

Step 9: Final Adjustments and Reinforcements

Sew G6a to G1a and G1b, reinforcing key stress points. Install Zipper 4 along the main compartment opening.

Step 10: Attach the Final Components

Sew G8 into place, ensuring all pieces are securely attached.

Final Touches:

Use strong, even stitches to ensure durability.

If using thicker leather, skive the edges where necessary to reduce bulk.

Ensure the zippers are aligned properly before final sewing.

Consider using double-cap rivets for extra strength at stress points.

If available, a walking foot sewing machine will help achieve even stitches on thick leather.

Flores
Patterns

BONUS

Handbag Pattern



Open the link or paste it in your browser to access a Drive folder with the handbag pattern files



https://drive.google.com/drive/u/0/folders/1aR6wlqbWRpyU_i_82OM8w1oA68M9no-E