
LEATHER TOTE BAG



Assembly instructions

Difficulty level:	Intermediate
Completion Time	10 - 12 hours

NECESSARY TOOLS

B&W Printer



Scissors or a cutter



Hole Puncher (We recommend 1.8 - 2 mm sized holes for this build)



Approx 7 square feet of leather for the smaller bag and about 9 square feet for the large. (We recommend 5 oz leather for this build)




Thread and needles (We recommend 1.2 mm waxed thread for this build)



12 rapid rivets

PRINTING THE PATTERN


Set up your paper size to A4 and choose actual size in the printer settings



Alternatively you can use “letter” format which is approximately the same size and will not impact the size of the product significantly

Print all the patterns. Take note that most of the pages spread over more than one page. Use the assembly diagram at the beginning of each pattern to see how the pieces need to be pasted together.

Once you are done you should have all the pieces shown here



In order to further help with your build, we filmed the entire process from the start to finish.
Please access your instructional video here:

<https://youtu.be/FZ4hf9RiLYg>

Would love to see what you did, so please share or leave a review on Etsy.

Stuck and need help? go ahead and send us a message, someone is always around to give you a hand

Thank you for constructing your mask with our patterns

To further help all our clients we created this FaceBook group for everyone to share ideas and stay up to date

with the latest patterns available.

Please follow the link below to join.

<https://www.facebook.com/groups/1434028716724087/>

Best Regards

Tony