



TEST PAGE

Make sure everything is the right scale and you can see the black border around this page on all sides.



The designs, instructions and patterns are only intended for personal use by sewing hobbyists. All industrial use is prohibited. The materials, including the photographs, drawings, instructions, articles and patterns, are protected by copyright laws and the right of reproducing them by any means or in any form is exclusively reserved for the copyright holder. The copying of the material onto a device that can be used for duplicating it is also regarded as reproduction. Copyright © Marina Karlova. All rights reserved.

You can sell the items you create using this pattern but I would kindly ask you to buy the pattern again for every 10 items you sell, this is a way for me to get my royalties.

NOTICE FOR RUSSIAN SPEAKING CRAFTERS

Мы с вами коллеги, поэтому давайте уважать друг друга. Пожалуйста, не нужно заниматься пиратством. Выкройки стоят не так уж дорого, и благодаря их продажам мы, дизайнеры, можем кушать, оплачивать счета и продолжать создавать для вас новые дизайны. Если эта выкройка попала к вам откуда-то еще, кроме как из моего магазина, пожалуйста, свяжитесь со мной и поделитесь информацией о том, где и как она распространяется.

Karlova

karlovadesign.com

**Materials:**

I used 3-4 oz veg tan which I previously treated with grease and oil. Any vintage-looking distressed pull-up leather would look even better. I think anything up to 5 oz can be used, plus you will need to make two backing layers at the lacing part. For the lacing, I used around 45" long 1/8" cotton rope. If using thicker lace, make larger holes. For the draw-string, 0.5" wide strap made of 6-7 oz leather (5-5.5 would work I guess). Length may vary according to your taste, mine is 65", most of the people would probably want to make it a bit longer, something around 70-75".

Hardware:

2 x 0.5" swivel hooks
2 x 1" D-rings or O-rings
Copper rivets

Tools:

Scissors, knife (paper knife or rotary cutter would also work).

Stitching irons: my pattern is made for 5mm stitching irons (5 stitches per inch). If you are willing to use any other size please make sure that the hole count is the same where it has to be the same.

Needles - according to your thread size, a pair of harness needles.

Mallet, rivet setter, hole punch.

Instructions:

Print the pattern at actual size (100%). Use the reference on top of each page to make sure everything is printed correctly. Join the pages together. Cut the pieces out.

Attach the drawstring holders and D-ring holders to the body, don't forget to insert the D-rings. If you don't want to use rivets, alternatively you can stitch all this stuff on, just make sure attachment is strong enough.

Glue the backing pieces to the back of the front part where the lacing will be. You can punch all the holes in these pieces later if you want, that's how I did, just cut out the contour, glue them on and then go through the holes that you already made on the body, it is an easy way to make sure they line up perfectly. You can stitch each one now separately, or if you want stitch them with a single seam after you are done with the bottom.

The bottom: Take two circles and place the first "petal" between them. Follow the small horizontal stitching lines on each "petal" and sew all of them in between the two circles one next to another. After you're done, flatten the seam with the mallet, I find it convenient.

Start stitching the "petals" together. Use any flat stitching technique - parallel (like I did), X-stitch, baseball stitch would work too. Again, I flatten each seam with mallet after I finish it.

Sew the logo patch on. Note that central holes on top and bottom of the patch don't have respective holes on the front part of the body, you have to pass the needle in between the "petals".

Insert the drawstring in the drawstring holders, starting at the back. Pull them through the drawstring stopper. Attach the swivel hooks to the ends and hook them on the D-rings.


If you did not stitch the lacing backing pieces before, do it now. Insert the lacing - I did same technique as the parallel stitch, on the inside it looks like X-stitch. Use any lacing technique you like.

Any questions or comments, e-mail me: lissius@gmail.com.

Join our Karlova Leatherwork Patterns Group on Facebook!
www.facebook.com/groups/karlovadesign



A-1





A-2



pdfelement



BODY






A-3






pdfelement







BOTTOM CIRCLES






DRAWSTRING HOLDERS






D-RING HOLDERS



B-2



DRAWSTRING STOPPER

B-4

BACKING PIECES FOR LACING

