

A4

@medievalwinds

#19 Seahorse Bag

MATERIALS

- 2mm (5-6 oz) 0.42m² - 4.5 sq feet vegetable tanned leather.
- x2 2cm D Rings
- x3 2.5cm Hooks
- x1 2.5cm Buckle
- 34cm Zipper
- 1mm Waxed Thread
- Leather DYE Almond (Brands: Derby)
- Edge Finishing Cream (Brands: Derby)
- Waterproofing Cream WAX-SGP(Brands: Derby)
- Paper Tape

TOOLS

- 1 mm Hole Puncher
- 5mm Hole Puncher
- 0.7mm Edge Beveler
- x2 Needles
- Hammer
- Sponge
- Fabric
- Utility Knife
- Ligther
- Ruler
- Simple Printer

Medieval Winds


Video Tutorial

youtube.com/@MedievalWinds




70 cm / 27.5 in

60 cm
23.5 in















Avg. (0.42m² - 4.5 sq feet) Required Leather

Check this with a ruler before you start to make sure it is the right size.




Make sure the printer is at default scaling.

Default Scaling : (100%)





Updated this parts






Medieval Winds





Medieval Winds






Medieval Winds





Medieval Winds
























Suitable for carrying on the arm;
with a short buckle adjustment,
it can also be carried in the hand

Short Strap







Long Strap

Suitable for carrying on the back;
with a short buckle adjustment,
it can also be carried in the arm

Long Strap

Long Strap





Tail stopper: prevents keys from going too deep just drop it inside the tail.
This part was created later at the request of a crafter

You may scan the QR code to access the assembly video or use the link provided

<https://youtu.be/9lQEFAgV0rY>

Medieval Winds



Medieval Winds

No painting or edge finishing is required